

MSDS Information – Spike-In RNA Variant Control Mixes (SIRVs) and Spike-In RNA Variant Controls, SIRV-Set 2 and SIRV-Set 3

Lexogen GmbH

Campus Vienna Biocenter 5, 1030 Vienna, Austria
www.lexogen.com

This information is provided for purchasers of the **Spike-In RNA Variant Control Mixes (SIRVs)** and **Spike-In RNA Variant Controls, SIRV-Set 2 and SIRV-Set 3**, represented by the following catalogue numbers: 025.03, 050.01, 050.03, 051.01, 051.03

| Tube | Reagent | MSDS |
|-------------|-------------------|------------------|
| E0 | Mix E0 | No ¹⁾ |
| E1 | Mix E1 | No ¹⁾ |
| E2 | Mix E2 | No ¹⁾ |
| Set 2 | Iso Mix E0 | No ¹⁾ |
| Set 3 | Iso Mix E0 / ERCC | No ¹⁾ |

Table 1: Overview of Lexogen MSDS for Spike-In RNA Variant Control Mixes (SIRVs) and Sets

1) Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. Not a hazardous substance or preparation according to EC directives 67/548/EEC or 1999/45/EC.