

MSDS Information – CORALL Total RNA-Seq Library Prep Kit

Lexogen GmbH

Campus Vienna Biocenter 5, 1030 Vienna, Austria
www.lexogen.com

This information is provided for purchasers of the **CORALL Total RNA-Seq Library Prep Kit**, represented by the following catalogue numbers: 095.04, 095.24, 095.96, 096.24, 096.96

Tube	Reagent	MSDS
RTM	Reverse Transcription Mix	No ¹⁾
DSP	Displacement Stop Primer	No ¹⁾
E1	Enzyme Mix 1	No ¹⁾
LM	Ligation Mix	No ¹⁾
DTT	Dithiothreitol	No ¹⁾
LO	Linker Oligo	No ¹⁾
E2	Enzyme Mix 2	No ¹⁾
PCR	PCR Mix	No ¹⁾
E3	Enzyme Mix 3	No ¹⁾
7001 - 7096	Lexogen i7 6nt Index Set (96-well plate)	No ¹⁾
7097 - 7100	Lexogen i7 6nt Index Set	No ¹⁾
BD	Bead Diluent	No ¹⁾
PB	Purification Beads	No ¹⁾
PS	Purification Solution	No ¹⁾
EB	Elution Buffer	No ¹⁾

Table 1: Overview of Lexogen MSDS for CORALL Total RNA-Seq Library Prep Kits

1) Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008. Not a hazardous substance or preparation according to EC directives 67/548/EEC or 1999/45/EC.